



Piastre deep well PP, 96x2,0ml, premium surface, pozz. quadri fondo a V, trasparenti NP PCR Ready

Cf.50pz - Piastre deep well PP#44 96x2#440ml#44 premium surface#44 pozz. quadri fondo a V#44 trasparenti NP PCR Ready#44 RCF 4.000g#44 autoclavabili 121C CE/IVD busta 5



Product codes:

Reference: 66 893 3561

Product gallery:

Product description:

Piastre deep well in PP
Dimensioni ANSI SLAS 1 4



RCF 4.000g

Autoclavabili

Idoneo contatto alimenti EC1935/2004

"NP PCR Ready: Free of PCR inhibitors#44 human DNA#44 RNase and Dnase#44 pyrogens

Manufactured in clean rooms of ISO class 8 or higher"

no heavy metals according to EC/94/62

CE/IVD

NP PERFORMANCE LINE+: risultato riproducibile e garantito. Prodotti alta purezza in camera bianca#44 con procedura extra di decontaminazione#44 resistenti a stress termici e centrifugazioni

Pareti idrofobiche "Pearl Effect" consistente in superfici ultra-smooth extra low-binding prodotte a partire da materie prime vergini ultra-pure senza trattamenti o coperture contaminanti che prevengono l'assorbimento di DNA e proteine

Trasparente

Fondo a V

96 pozzetti da 2.0ml

Product features:

PSC - TYPE: piastre Deep-Well

PSC - VOLUME: 2.0ml

PSC - OPENING: pozzetti quadri

PSC - WELLS: 96

PSC - BOTTOM: a V

PSC - DIMENSIONS: ANSI / SBS

PSC - DIMENSIONS: 127.76x85.48mm

PSC - TREATED: no

PSC - ADDITIVE: none

PSC - COVER: not available

PSC - CLOSING: mat

PSC - CLOSING: through film

PSC - APPLICATIONS: idoneo al contatto alimentare

PSC - AUTOCLAVABLE: you

PSC - COLOUR: neutral

PSC - PURITY: idoneo al contatto alimentare

PSC - PURITY: endotoxins FREE

PSC - PURITY: prodotte in Clean Room classe 8 in poi

PSC - PURITY: esente da metalli pesanti

PSC - PURITY: inibitori PCR FREE

PSC - PURITY: DNA / DNase / RNase / Pyrogen FREE

PSC - STERILITY: no

PSC - MATERIAL: PP

PSC - COMPLIANCE: EC/94/62

PSC - COMPLIANCE: EC 1935/2004

PSC - TEMPERATURE MAX: 121°C

PSC - MINIMUM TEMPERATURE: -80°C

PSC - PACKAGE: bulk

PSC - MAIN FEATURES: piastre Deep-Well 96x2.0ml ideali per sistemi automatizzati



PSC - OPTIONAL ACCESSORIES: mats sealants

PSC - COMPATIBLE WITH: sistemi automatici

PSC - CAPACITY: 2.0ml

PSC - RESISTANT: congelamento -80°C

PSC - RESISTANT: centrifugazione

PSC - BINDING: extra-low binding

PSC - RCF: 4.000