



Provette fondo conico 50ml PP 30x115mm tappo vite, graduate, area scriv. NP PCR Ready, sterile, RCF 20.000g,

Cf. 250pz - Provette centrifuga PP 50ml 30x115mm f/conico#44 tappo vite#44 graduate#44 area
scriv. NP PCR Ready#44 sterile#44 RCF 20.000g#44 CE/IVD#44 busta da 25



Product codes:

Reference: 66 911 6031

Product gallery:

Product description:

Provette fondo conico in PP



Facili operazioni di chiusura e apertura tappo tramite una sola mano#44 anche con guanti (filettatura corta)

Resistenti fino a -80 gradi

Autoclavabile -senza tappo-

RCF 17.000g

Graduate con area scrivibile

Idonee al contatto alimentare#44 prodotte con materie prime in accordo con le direttive EC 1935/2004

Free of dectetable Phtalate

NP PCR Ready: Free of PCR inhibitors#44 human DNA#44 RNase and Dnase#44 pyrogens

Manufactured in clean rooms of ISO class 8 or higher

no heavy metals according to EC/94/62

Product features:

PRT - TYPE: Falcon

PRT - CAPACITY MAX: 50ml

PRT - SIZE: 30x115mm

PRT - SELF STANDING: no

PRT - OPENING: standard

PRT - CLOSING: screw

PRT - CAP: screw

PRT - FORM: cylindrical

PRT - FUND: tapered

PRT - LABEL: no

PRT - SIZED: you

PRT - AREA WRITABLE: you

PRT - MATERIAL: PP

PRT - ADDITIVE: none

PRT - PURITY: free from heavy metals

PRT - PURITY: DNA / RNA / DNase / Rnase / Pyrogen / endotoxin FREE

PRT - PURITY: inibitori PCR FREE

PRT - CYTOTOXIC: -

PRT - STERILITY: you

PRT - AUTOCLAVABLE: you

PRT - COMPLIANCE: EC/94/62

PRT - COMPLIANCE: EC 1935/2004

PRT - MAX TEMPERATURE: 121°C

PRT - MINIMUM TEMPERATURE: -80°C

PRT - RCF: 20000

PRT - FEATURES: provette centrifuga fondo conico - alta purezza ideale per applicazioni di laboratorio generale

PRT - COMPATIBILITY: generic

PRT - COMPLETE: cap

PRTS - SUITABLE FOR: centrifugation

PRTS - SUITABLE FOR: general laboratory

PRTS - SUITABLE FOR: freezing

PRTS - SUITABLE FOR: biologia molecolare

PRTS - SUITABLE FOR: contatto alimentare

PRT - RESISTANCE: centrifugation

PRT - RESISTANCE: sost. chemical good

PRT - PACKAGING: envelope



Shop name

PRV - TAPPO INSERITO: si
IDONEO PER: stoccaggio