



Cold sterilization solution MEDSTER 2000

1 Bag of 10g. Of sterilizer Medster 2000 - equivalent to:
10 lt disinfectant 0.1%
2 lt high-level disinfectant 0.5%
1 liter cold sterilizing 1%



Product codes:

Reference: ET M1010-1

Product gallery:



Test	Test	Test	Test	Test	Test
1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61	62	63	64	65	66
67	68	69	70	71	72
73	74	75	76	77	78
79	80	81	82	83	84
85	86	87	88	89	90
91	92	93	94	95	96
97	98	99	100	101	102
103	104	105	106	107	108
109	110	111	112	113	114
115	116	117	118	119	120
121	122	123	124	125	126
127	128	129	130	131	132
133	134	135	136	137	138
139	140	141	142	143	144
145	146	147	148	149	150
151	152	153	154	155	156
157	158	159	160	161	162
163	164	165	166	167	168
169	170	171	172	173	174
175	176	177	178	179	180
181	182	183	184	185	186
187	188	189	190	191	192
193	194	195	196	197	198
199	200	201	202	203	204
205	206	207	208	209	210
211	212	213	214	215	216
217	218	219	220	221	222
223	224	225	226	227	228
229	230	231	232	233	234
235	236	237	238	239	240
241	242	243	244	245	246
247	248	249	250	251	252
253	254	255	256	257	258
259	260	261	262	263	264
265	266	267	268	269	270
271	272	273	274	275	276
277	278	279	280	281	282
283	284	285	286	287	288
289	290	291	292	293	294
295	296	297	298	299	300

Test	Test	Test	Test	Test	Test
1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
43	44	45	46	47	48
49	50	51	52	53	54
55	56	57	58	59	60
61	62	63	64	65	66
67	68	69	70	71	72
73	74	75	76	77	78
79	80	81	82	83	84
85	86	87	88	89	90
91	92	93	94	95	96
97	98	99	100	101	102
103	104	105	106	107	108
109	110	111	112	113	114
115	116	117	118	119	120
121	122	123	124	125	126
127	128	129	130	131	132
133	134	135	136	137	138
139	140	141	142	143	144
145	146	147	148	149	150
151	152	153	154	155	156
157	158	159	160	161	162
163	164	165	166	167	168
169	170	171	172	173	174
175	176	177	178	179	180
181	182	183	184	185	186
187	188	189	190	191	192
193	194	195	196	197	198
199	200	201	202	203	204
205	206	207	208	209	210
211	212	213	214	215	216
217	218	219	220	221	222
223	224	225	226	227	228
229	230	231	232	233	234
235	236	237	238	239	240
241	242	243	244	245	246
247	248	249	250	251	252
253	254	255	256	257	258
259	260	261	262	263	264
265	266	267	268	269	270
271	272	273	274	275	276
277	278	279	280	281	282
283	284	285	286	287	288
289	290	291	292	293	294
295	296	297	298	299	300

Product description:

Medical device for cold sterilization / disinfection of high level of environments, surfaces and equipment (safe for instrumentation no corrosion damage).

The powder mix in contact with water generates a sterilizing solution at neutral pH. Tested according to European methods (EN, AFNOR, DVV) in dirt / clean conditions, MEDSTER 2000 has activities:

- bactericide
- fungicide
- mycobactericidal
- virucidal
- sporicidal



AFTER ONE MINUTES OF CONTACT.

In completing the cleaning and killing action, MEDSTER 2000 delivers a balanced presence of bacteriostatic principles, further protection and protection of the treated surfaces.

MEDSTER 2000 is non-toxic, not allergic, leaves no hazardous residue, does not alter the material, is completely biodegradable.

The Technical Opinion of the Higher Institute for Occupational Prevention and Safety has defined MEDSTER 2000 as "an appropriate security measure under Title X (protection from biological agents) - Title IX (Hazardous Substances) of Legislative Decree 81/2008 "

MICROBIOLOGICAL SAFETY

The MEDSTER 2000 microbicidal performance, tested according to European methods (EN, AFNOR, DVV) is as follows:

MEDSTER 2000 BATTERICIDE AND FUNGICIDE ACTIVITIES

SOL. 0,5% AFTER 1 MONTH - METHODS EN1276 E 1650

STAPH. AUREUS - strain ATCC 6538 - ps aeruginosa STRAIN atc 15442 - C. ALBICANS strain ATCC 10231

BSA 0,3g/litro Inoculo maggiore di 1×10^8 Tempo di contatto 10 minuti

Conclusion: Medster 2000 at 0.5% solution and with a contact time of 10 minutes is considered BATTERICIDE and FUNGICIDA up to 30 days after preparation, as it results in a reset of Staph colonies Aureus ATCC 6538 E Ps. Aeruginosa ATCC 15442 - method EN 1276 and Candida albicans ATCC 10231 - method EN 1640

RECOMMENDATIONS FOR USE

The international guidelines for the prevention and control of communicable diseases with healthcare equipment include a DECONTAMINATION phase and a HIGH LEVEL STERILIZATION / DISINFECTION phase



DECONTAMINATION

0.1 lb (1 lb. bag of 10 l of water) with a minimum contact time of 10 minutes ensures a good decontamination effect throughout the microbial spectrum. MEDSTER 2000 fragment and detach dirt with proteolytic and cleaning action superior to enzymatic or phenol-based solutions.

HIGH LEVEL STERILIZATION / DISINFECTION

High-level chemical sterilization or disinfection is reserved for non-autoclavable instruments. The recommended solution is 1% (1 sachet of 10gr in 1 liter of water). Contact times are at least 15 minutes.

DILUTION TABLE - MEDSTER 2000 Liters of solution Amount of powder to be added in grams to prepare

Solution	0,1%	Solution	0,5%	Solution	1%
1 liter	-	-	10 (1 bag of 10g.)	2 liters	-
2 liters	-	-	20 (2 bag of 10g.)	5 liters	-
5 liters	-	-	50 (5 bag of 10g.)	10 liters	10 (1 bag of 10g.)
10 liters	-	-	100 (1 bag of 100g.)		

USE

Instrumental decontamination. Treatment of environments, surfaces, air conditioning systems

Treatment of environments and surfaces. Primary decontamination and high instrument disinfection. Treatment of critical and semicritical devices and instruments. Cold chemical sterilization

1. Dissolve the amount of product in the desired water volume following the dilution table.
2. Let dissolve the powder by mixing until reaching a homogeneous solvation; The melting of dust in lukewarm water allows the solution to be activated within 15 minutes
3. Immerse / treat the devices / equipment / materials or circulate the solution within the circuits for at least 15 minutes; Rinse with sterile water

CONFEZIONAMENTO

- 1 bag of 10 grams (Cod. ET M1010-1)

- 10 bags of 10 grams (Cod. ET M1010)

- 5 bags of 100 grams (Cod. ET M5100)

The single-dose sachets of 10g or 100g vacuum practices ensure:

STABILITY AND EFFECTIVENESS OF ACTIVITIES IN THE TIME.

PRECISION AND EFFICIENCY IN THE PREPARATION OF SOLUTIONS. NO SPRECE OF PRODUCT - NO HAZARD OF SUBSTATION. LOGISTIC BENEFITS OF SHIPPING AND



STORAGE

Medster2000

Unlike other peracetyl systems, thanks to the slow-release technology of the active ingredient, it has more efficacy over time, has a toxicological profile and a certified tolerability, does not cause damage and / or corrosion to the instrumentation, ensures precision in dosages and is packaged vacuum. Unlike the chlorophylls it remains active in the presence of organic material, it works effectively on biofilm, does not release irritating, sensitizing and toxic substances for lungs, conjunctivitis, and skin. It does not corrode, does not dull, it does not alter the materials and equipment. Unlike quaternary phenols and ammonia: it does not allow bacterial resistance phenomena and acts on all types of viruses, natriers, mycobacteria and spores through the physical destruction of each structure. It also works in the presence of organic material, it is environmentally friendly.

Product features: